ONGOING EVOLUTION



AMBROGIO T

THE ROBOTIC LAWNMOWER



Catalog 2022



Ambrogio: the robotic lawnmower	P. 2
6 good reasons to choose Ambrogio robot	P. 3
One robot for every lawn	P. 4
NEXT line	P. 5
TWENTY ZR	P. 6
TWENTY deluxe - TWENTY elite - TWENTY elite S+	P. 8
TWENTY 25	P. 1
TWENTY 29	P. 1
Long lasting warranty	P. 1
4.0 Basic	P. 1
4.0 Elite	P. 1
4.36 Elite	P. 1
QUAD Elite	P. 1
NEXT line datasheet	P. 1
PROline	P. 2
L250i Elite - L250i Elite S+	P. 2
L400i Deluxe - L400i B	P. 2
PRO line datasheet	P. 2
GREENline	P. 2
L60 Elite - L60 Elite S+	P. 2
L15 Deluxe	P. 3
L32 Deluxe	P. 3
GREEN line datasheet	P. 3
APP	P. 3
ZCS innovative inside	P. 3
+INFINITY SYSTEM	P. 3
TINTINITI STSTEM	r. 0
AMICO	P. 3
ZDEFENCE	P. 3
Recharging base cover	P. 3
Spikes	P. 3
Installation Kit	P. 3
Smart & Green	P. 3







Ambrogio robot is the automatic lawnmower that takes care of every type of lawn in complete autonomy and total safety. The ideal solution for those who want to improve the grass in their yard and take back their free time; perfect for those who seek an **excellent cut**, **respect for the environment**, **professional efficiency**, and **technological innovation**.

Ambrogio robot is the perfect day-to-day ally for managing any green area: from small residential lawns, simple or complex, to large green spaces. With the robot's mulching cut, the lawn becomes healthier, thicker, and less reliant on fertilizer. Most importantly, there is no longer any need to dispose of clippings.

Ambrogio robot is **Made in Italy** with a beautiful and elegant design. Built to last with strong, reliable materials, Ambrogio ensures **high performance on a wide range of lawns** with brushless motors and lithium batteries.

Ambrogio robot speaks the language of the future, simplifying our lives: it gives us the time and freedom to fully enjoy the yard and life in the open air, even if we are far from home. Thanks to the new **Smart Technologies** from ZCS, you can **control and manage the robot wherever you are and interact with voice assistants.**

The latest generation of Ambrogio robotic mowers is also equipped with artificial intelligence. With intelligent sensors and radar, the robot will recognize the area to be mown as well as obstacles (both fixed & mobile) in the yard, without the need to delimit each obstacle with a perimeter wire.

Ambrogio robots are safe, and both environmentally and pet friendly. They work at a safe distance from pets until the blade is switched off. With the ZDefence* system, which uses a 100% natural bio-repellent, your lawn will also stay free of mosquitoes.

*compatible with lines 4.0 and 4.3

Augmented Reality

EXPLORE MORE WITH A CLICK

- 1. Download the Ambrogio **Remote APP**.
- 2 Search the catalog for images showing the symbol with the letters **+AR**
- Open the APP, scan the image and...

 enter the world of Ambrogio robot!













DISCOVER ALL VIDEOS IN THE CATALOGUE!







ТШЕПТЧ 2



🔐 VIDE

NEXTline

NO INSTALLATION OF PERIMETER WIRE NEEDED TWENTY STOP

The technology that revolutionizes lawnmower-robotics

0.25 acres



Twenty ZR is the brand-new, simple, compact, lightweight, powerful, and fast robotic mower, which does not require installation of perimeter wire. The robot is equipped with the most innovative technologies, which allow it to manage and map the garden by learning its characteristics. ZR technology integrates artificial intelligence systems with radar sensors, allowing the robot to detect grass, recognize edges, perimeters, and obstacles at a distance (both stationary & moving).











SMART GRASS SENSORS



Next generation processor



Keynad & LFD



Bluetooth



CS Connect optional)

Geographic localization Geofence Alarm
Go Away
Go Home
Smart Assistant



RADAR for obstacle detection



Keypad commands



7 inch blade



Shelter garage (gloss black)



.....









A mini robotic lawnmower created with the most advanced features to have minimal environmental impact. The latest generation processors, brushless motors, powerful batteries, and 7 inch blade allow the robot to manage up to 4 separate areas. Excellent efficiency with fast, flawless results from a robot weighing just over 15 lbs and measuring 16.5 inches. Both the Elite and Elite S+ models are equipped with connect module that allows you to remotely manage, interact with, and monitor the functions of the robot.

TWENTY deluxe

0.17 acres

TWENTY elite

0.25 acres

TWENTY elites+

0.32 acres



ZCS Connect (Elite and Elite S+)









Control keypad



7 inch blade



Flex rubber rear wheels



Shelter garage (gloss black)



pact and reliable, for medium-sized lawns

NEXTline

VIDEO



NEXTline

Technologically advanced and high-performance







The innovative TWENTY range has been extended with the brand new TWENTY 25 model, designed for medium-sized lawns. Both models in the line, Deluxe and Elite, are equipped with advanced technology that guarantees high performance. Brushless motors, powerful batteries, and a 9.8 inch blade allow the robot to manage areas of up to 0.45 acres.

TWENTY 25 deluxe **0.35** acres

TWENTY 25 elite **0.45** acres



The innovative TWENTY range has been enhanced with the brand new TWENTY 29 model, designed for medium to large-sized green spaces. Both models in the line, Deluxe and Elite, are equipped with advanced technology optimizing the robot for high performance. Brushless motors, powerful batteries, and a 11.4 inch blade allow the robot to manage areas of up to 0.85.

TWENTY 29 deluxe **0.62** acres





ZCS Connect (Elite)





Keypad & LED



Keypad & LED



9.8 inch blade



Flex rubber rear wheels





ZCS Connect (Elite)

Go Home



11.4 inch blade

Bumper



Flex rubber rear wheels









Shelter garage (gloss black)









The 4.0 and 4.36 Ambrogio models with up-to 6 year warranty!

Ambrogio 4.0 and 4.36 are built on a new technological platform with a futuristic design and state-of-the-art jointed structure which enables them to better manage and adapt to uneven terrain and lawns of different shapes and sizes. All Power Units come with lithium-ion smart batteries equipped with Bluetooth technology that exchanges information with the motherboard, optimizing charging and power consumption while monitoring battery health. The choice of Power Units brings a customizable option to the machine itself: the battery power and charging speed allow for management of lawns of different sizes more efficiently with longer working times and shorter charging times.

Power Unit LIGHT Contact charging 4.0 Basic only	Power Unit MEDIUM F Contact charging 4.0 Basic and Filie	Power Unit PREMIUM Contact charging 4.0 Basic and Filie	Power Unit EXTRA PREMIUM	Power Unit ULTRA PREMIUM
,		Battery	-	
2.9 Ah	5.8 Ah	8.7 Ah	8.7 Ah	10.35 Ah
		Battery Charger		
2.0 A	5.0 A	8.0 A	8.0 A	10.0 A
		Working Time		
1:30 h	3:00 h l 2:45 h 4.0 Basic 4.0 Elite	4:00 h l 3:45 h 4.0 Basic 4.0 Elite	3:45 h	4:00 h
		Recharging Time		•
2:00 h	1:30 h	1:30 h	1:30 h	1:30 h

Up-to 6 year warranty

2 year warranty

covering the conditions and limitations stated in the warranty booklet

4 year extension

- to the warranty covering non-wearable plastic components that have manufacturing defects.
- to the warranty covering electronic components excluding the limitations specified in the warranty booklet.
- to the warranty covering cutting and propulsion motors limited up to 5,000 hours of operation.

To validate the warranty extension, it is mandatory to carry out regular winter servicing, to register such servicing on the manufacturer's website, to request the issuing and the appropriate filing of the relative, duly completed certifications.





Power Unit Power Unit Power Unit LIGHT **PREMIUM MEDIUM** 444 0.55* 0.25* 0.35*

The 4.0 Basic model is ideal for those who require a simple, reliable robot that can adapt to change. Its flexible yet solid and safe structure provides the option of three different Power Units, allowing it to be converted from a robot for small to medium-sized lawns (up to 0.25 acres with Power Unit Light or up to 0.35 acres with Power Unit Medium) to one that covers up to 0.55 acres (with Power Unit Premium) with extreme accuracy. The brushless motors, rubber profile wheels, and soft bumpers complete the package of an innovative robot that meets a variety of needs. Equipped with a Bluetooth Receiver that can be independently controlled by a dedicated APP. Its new design also allows greater autonomy: with a deck engineered around the blade, it provides quick and safe self-cleaning.





Next generation processors









* The platform is designed for indicated work surfaces, in ideal cutting conditions: a simple, rectangular-shaped flat lawn, without any obstacles or additional areas and a moderate lawn growth speed.







Keypad & LED



9.8 inch blade



ZDEFENCE







NEXTline

1.5 acres

Powerful and jointed





VIDE0



Power Unit Power Unit EXTRA Power Unit MEDIUM PREMIUM PREMIUM 44 444 444 (((**(()**

0.85

suggested 0.80 acres

This model combines flexibility and modularity with 4.0 technological innovation. Built around the ZCS Connect module which enables connection to the robot anytime and anywhere, in total safety. It is possible to stop, start, exclude areas to be cut, and monitor the robot with a simple touch of a button. Ambrogio 4.0 Elite can be combined with the Medium, Premium, and Extra Premium Power Units ranging between 0.55 and 0.85 acres. The Extra Premium kit makes it possible to equip the robot with the inductive charging, which eliminates the usual need to clean the contacts. Motorized blade height adjustment is easily performed through the APP. The ZCS technology is user-friendly and interactive: easily manage your lawn in a completely autonomous manner.

* The platform is designed for indicated work surfaces, in ideal cutting conditions: a simple, rectangular-shaped flat lawn, without any obstacles or additional areas and a moderate lawn growth speed.



ZCS Connect

Geographic localization Go Home

0.85

suggested 0.80 acres



Next generation processors





0.55

suggested 0.45 acres









Touch Display



Touchscreen display



6 cutter blades



Spiked Wheel



Shelter garage (gloss black)





The powerful battery and 14.2 inch blade of the Ambrogio 4.36 Elite model allow it to handle large areas. With the ULTRA PREMIUM Power Unit Kit, the robot can work for over 4 hours, covering up to 1.5 acres. It comes highly equipped with all the latest technologies (Display Touch, ZCS Connect, GPS, Bluetooth, and GSM), and has a high capability to work in a team with other robots. It is also compatible with voice assistants (SMART ASSISTANT) and with AMICO.

Power Unit ULTRA PREMIUM 4444



1.5



SDM Cutting System (Satellite Dynamic Memory)

The satellite navigation system, based on advanced algorithms, allows the robot to recognize the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.



ZCS Connect



Next generation processors



Smart batteries













Touchscreen display



4 point star blade



Spiked Wheel



Shelter garage (gloss black)



ZDEFENCE





QUAD ELite

NEXTline

0.85 acres*

Lawns with impossible slopes? No problem, QUAD Elite is here for you.







QUAD Elite is the Ambrogio robotic lawnmower dedicated to lawns with slopes of up to 37°. Thanks to 4-wheel drive (electrically steered) and 10 Ah battery, it can handle extremely steep climbs and bumps. It also works efficiently on the edge of the lawn on slopes of up to 33°. Its high efficiency is made possible by the presence of a traction motor on each wheel that allows steering in any direction without performing risky maneuvers, even on steep slopes. The QUAD Elite's compact, square shape (only 21 inches) make its movements graceful on both flat and uneven terrain. A handle positioned on each side makes it safe and easy to transport. QUAD Elite is also equipped with a special RADAR sensor that allows the robot to understand and learn where obstacles are located on the lawn, without the need to delimit each obstacle with perimeter wire. Fewer bumps, more safety, longer robot life!





Next generation processors









SDM Cutting System (Satellite Dynamic Memory)

The satellite navigation system, based on advanced algorithms, allows the robot to recognize the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.



SLOPES UP TO 37°



RADAR OBSTACLE DETECTION



4 DRIVING AND STEERING WHEELS



Touchscreen Display



RADAR for obstacle detection



4 driving and steering





NEXTline







MODEL DESCRIPTIONS	TWENTY ZR	TWENTY Deluxe	TWENTY Elite	TWENTY Elite S+	TWENTY 25 Deluxe	TWENTY 25 Elite	TWENTY 29 Deluxe	TWENTY 29 Elite
POWER								
Maximum cutting surface [acres] (-20%)*	0.25	0.17	0.25	0.32	0.35	0.45	0,60	0.85
Motor type	Brushless	Brushless	Brushless	Brushless	Brushless	Brushless	Brushless	Brushless
Max. permissible Slope (degrees)	24	24	24	24	24	24	24	24
Max. Slope (degrees)	20	20	20	20	20	20	20	20
Slope on outer edge/perimeter wire (degrees)	11	11	11	11	11	11	11	11
CUTTING SYSTEM			1					
Blade Type	4 Point Star Blade	4 Point Star Blade	4 Point Star Blade	4 Point Star Blade	4 Point Star Blade	4 Point Star Blade	4 Point Star Blade	4 Point Star Blade
Cutting Width [in]	7	7	7	7	9.8	9.8	11.4	11.4
Cutting Height (min-max) [in]	1.0 - 2.8	1.0 - 2.8	1.0 - 2.8	1.0 - 2.8	1.0 - 2.4	1.0 - 2.4	1.0 - 2.4	1.0 - 2.4
Cutting Height Adjustment	Manual	Manual	Manual	Manual	Manual	Manual	Motorized	Motorized
Spiral Cutting System	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
"SDM" Cutting System	No	No	No	Yes	No	Yes	No	Yes
"+ Infinity" Cutting System	No	No	No	No	No	No	No	Yes
Self-Levelling	-	-	-	-	-	-	-	_
Eco Mode	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Rain Sensor	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Manageable Areas Including the Main	4	4	4	4	4	8	8	8
NAVIGATION								
ZCS Connect Module (GPS, GSM)	Optional	Optional	Yes	Yes	Optional	Yes	Optional	Yes
CONTROL DEVICES								
User Interface	Keypad & LED	Keypad & LED	Keypad & LED	Keypad & LED	Keypad & LED	Keypad & LED	Keypad & LED	Keypad & LED
APP Control	Bluetooth	Bluetooth	Bluetooth-GSM	Bluetooth-GSM	Bluetooth	Bluetooth-GSM	Bluetooth	Bluetooth-GSM
Bluetooth Receiver	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Smart Assistant	Included in ZCS Connect	Included in ZCS Connect	Yes	Yes	Included in ZCS Connect	Yes	Included in ZCS Connect	Yes
AMICO	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
SAFETY								
Safety PIN	PIN Code via APP	PIN Code via APP	PIN Code via App & Geofence	PIN Code via App & Geofence	PIN Code via APP	PIN Code via App & Geofence	PIN Code via APP	PIN Code via App & Geofence
STANDARD EQUIPMENT FOR INSTALLATION					,			
Perimeter Wire Length [ft]	50	0	0	0	0	0	0	0
Fixing nails	40	20	20	20	20	20	20	20
Charging Station	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Recharging base cover	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
FEATURES			<u>'</u>					
Robot Size (Ixwxh) [in]	16.5 x 11.7 x 8.7 in	16.5 x 11.4 x 8.7 in	16.5 x 11.4 x 8.7 in	16.5 x 11.4 x 8.7 in	21 x 10.4 x 15.2 in	21 x 10.4 x 15.2 in	21 x 10.4 x 15.2 in	21 x 10.4 x 15.2 in
Wheel Profile	Rubber	Rubber	Rubber	Rubber	Rubber	Rubber	Rubber	Rubber
Sound power [dB(A)]	59	59	59	59	60	60	63	63
Level of protection	IPx5	IPx5	IPx5	IPx5	IPx5	IPx5	IPx5	IPx5
Maximum suggested cutting surface [acres] (-20%)	0.25	0.17	0.25	0.32	0.35	0.45	0.60	0.85
Lithium-lon Battery (25.9V)	5.0Ah- 130Wh	2.5Ah-64Wh	2.5Ah-64Wh	5Ah - 130Wh	5.0Ah- 130Wh	5.0Ah- 130Wh	5.0Ah- 130Wh	10Ah - 260Wh
Quantity of batteries	1x5.0Ah	1x2.5 Ah	1x2.5 Ah	1x5.0 Ah	1x5.0Ah	1x5.0Ah	1x5.0Ah	2x5.0Ah
Average Working Time [h] (+-20%)	04:00	02:00	02:00	04:00	03:00	03:00	03:00	06:00
Recharge Mode	Contact	Contact	Contact	Contact	Contact	Contact	Contact	Contact
Battery Chargers	2.3A-68W	2.3A-68W	2.3A-68W	5.0A - 150W	2.3A - 68W	2.3A - 68W	5A -150W	8A- 235W

Weight with Batteries Incl. [lbs]

16.5

15.7









NEXTline

MODEL DESCRIPTIONS	4.0 Basic	4.0 Elite	4.36 Elite	QUAD
POWER		·		
Maximum cutting surface [acres] (-20%)*	Driving unit set up to 0.55 acres*	Driving unit set up to 0.85 acres*	1.5	0.85
Motor type	Brushless	Brushless	Brushless	4WD Brushless
Max permissible Slope (degrees)	24	24	24	37
Max. Slope (degrees)	20	20	20	35
Slope on outer edge/perimeter wire (degrees)	11	11	11	7
CUTTING SYSTEM				
Blade Type	4 Point Star Blade	6 Cutter	4 Point Star Blade	4 Point Star Blade
Cutting Width [in]	10	10	14.2	11.4
Cutting Height (min-max) [in]	0.8 - 2.6	0.8 - 2.6	0.8 - 2.6	1.0 - 2.8
Cutting Height Adjustment	Manual	Motorized	Motorized	Motorized
Spiral Cutting System	Yes	Yes	Yes	Yes
"SDM" Cutting System	No	Yes	Yes	Yes
"+ Infinity" Cutting System	No	Yes	Yes	Yes
Self-levelling	Yes	Yes	Yes	Yes
Eco Mode	Yes	Yes	Yes	Yes
Rain Sensor	Yes	Yes	Yes	Yes
Separate Mowing Areas Including Main	4	8	8	8
NAVIGATION		,	,	
ZCS Connect Module (GPS, GSM)	Optional	Yes	Yes	Yes
CONTROL DEVICES				
Jser Interface	Keypad & LED	Touchscreen Display	Touchscreen Display	Touchscreen Display
APP Control	Bluetooth	Bluetooth-GSM	Bluetooth-GSM	Bluetooth-GSM
Bluetooth Receiver	Yes	Yes	Yes	Yes
Smart Assistant	Included in ZCS Connect	Yes	Yes	Yes
MICO	Optional	Optional	Optional	Optional
ZDefence	Optional	Optional	Optional	-
SAFETY	·		,	
Safety PIN	PIN Code via APP	PIN Code & Geofence	PIN Code & Geofence	PIN Code & Geofence
STANDARD EQUIPMENT FOR INSTALLATION			,	
Perimeter Wire Length [ft]	0	0	0	0
ixing nails	20	20	20	20
harging Station	Yes	Yes	Yes	Yes
echarging base cover	Optional	Optional	Optional	Optional
EATURES	'		<u>'</u>	
Robot Size (lxwxh) [in]	25 x 18.3 x 11.8 in	25 x 18.3 x 13 in	30.9 x 21.1 x 13 in	21 x 21 x 13 in
Wheel Profile	Flex Rubber	Flex Rubber	Flex Rubber	Flex Rubber
Sound power [dB(A)]	63	63	65	63
Level of protection	IPx5	IPx5	IPx5	IPx5

	Power Unit LIGHT	Power Unit MEDIUM	Power Unit PREMIUM	Power Unit MEDIUM	Power Unit PREMIUM	Power Unit EXTRA PREMIUM	Power Unit ULTRA PREMIUM	
Maximum suggested cutting surface [acres] (-20%)	0.20 acres	0.30 acres	0.45 acres	0.45 acres	0.80 acres	0.80 acres	1.5 acres	0.85 acres
Lithium-lon Battery (25.9V)	2.9Ah - 73Wh	5.8Ah - 146Wh	8.7Ah - 220Wh	5.8Ah - 146Wh	8.7Ah - 220Wh	8.7Ah - 220Wh	10.35Ah - 260 Wh	10Ah - 260Wh
Quantity of batteries	1x2.9 Ah	1x5.8 Ah	1x8.7 Ah	1x5.8 Ah	1x8.7 Ah	1x8.7 Ah	1x10.35 Ah	2x5.0Ah
Average Working Time [h] (+-20%)	01:30	03:00	04:00	02:45	03:45	03:45	04:00	02:30
Recharge Mode	Contact	Contact	Contact	Contact	Contact	Inductive	Contact	Contact
Battery Chargers	2.0A-60W	5.0A-150W	8.0A-235W	5.0A-150W	8.0A-235W	8.0A-235W	10.0A-300W	8A- 235W
Weight with Batteries Incl. [lbs]	33	33.7	34.4	34.2	34.8	34.8	39.7	40.8







Both L250i models - Elite and Elite S+ - are a concentration of innovation and technology. The touchscreen displays, advanced navigation systems, and standard ZCS Connect modules make the robots extremely efficient and innovative. Compatible with most voice assistants (SMART ASSISTANT) for seamless interaction with the robot.





3:30h




7:00h



High efficiency brushless motors



For excellent grip on all types of terrain, even on wet surfaces.



Patented front wheels

They move independently from each other, while maintaining high cutting performances even an irregular and





SDM Cutting System (Satellite Dynamic Memory)

The satellite navigation system, based on advanced algorithms, allows the robot to recognize the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.



Touchscreen Display




4 point star blade



Flex rubber rear wheel











A powerful robot with an attractive design typical of Italian products, which can manage lawns up to 5 acres, even across multiple separate areas. Both models are also equipped with the ZCS Connect module to connect and interact with Ambrogio anytime and anywhere.















High efficiency brushless motors



Motorized blade adjustment



Manage up to 8 separate areas

Powerful lithium-ion batteries



Perfect cut even on uneven ground





For excellent grip on all types of terrain, even on wet surfaces.



SDM Cutting System (Satellite Dynamic Memory) The satellite navigation system, based on advanced algorithms, allows the robot to recognise the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.



Touchscreen Display



4 point star blade



Flex rubber wheel



Lightweight and robust carbon














_	п	$\boldsymbol{\smallfrown}$	16	۱	
м	к	U	ш	Ш	ŧ

MODEL DESCRIPTIONS	L250i Elite	L250i Elite S+	L400i B	L400i Deluxe
POWER				
Maximum cutting surface [acres] (-20%)*	0.80	1.25	2.5	5.0
Motor type	Brushless	Brushless	Brushless	Brushless
Lithium-Ion Battery (25.9V)	1x7.5 Ah	2x7.5 Ah	2x15Ah	4x15Ah
Max permissible Slope (degrees)	24	24	24	24
Max. Slope (degrees)	20	20	20	20
Slope on outer edge/perimeter wire (degrees)	11	11	11	11
Average Working Time [h] (+-20%)	03:30	07:00	06:00	11:00
Recharge Mode	Contact	Contact	Contact	Contact
CUTTING SYSTEM				
Blade Type	4 Point Star Blade			
Cutting Width [in]	11.4	11.4	33 (3 discs)	33 (3 discs)
Cutting Height (min-max) [in]	1.0 - 2.8	1.0 - 2.8	1.0 - 2.8	1.0 - 2.8
Cutting Height Adjustment	Manual	Manual	Motorized	Motorized
Spiral Cutting System	Yes	Yes	Yes	Yes
"SDM" Cutting System	Yes	Yes	Yes	Yes
"+ Infinity" Cutting System	Yes	Yes	Yes	Yes
Self-Levelling	Yes	Yes	-	-
Eco Mode	Yes	Yes	Yes	Yes
Rain Sensor	Yes	Yes	Yes	Yes
Separate Mowing Areas Including Main	8	8	8	8
NAVIGATION				
ZCS Connect Modulo (GPS, GSM)	Yes	Yes	Yes	Yes
CONTROL DEVICES				
User Interface	Touchscreen Display	Touchscreen Display	Touchscreen Display	Touchscreen Display
APP Control	Bluetooth-GSM	Bluetooth-GSM	Bluetooth-GSM	Bluetooth-GSM
Bluetooth Receiver	Yes	Yes	Yes	Yes
Smart Assistant	Yes	Yes	Yes	Yes
AMICO	Optional	Optional	Optional	Optional
SAFETY				
Safety PIN	Pin & Geofence	Pin & Geofence	Pin & Geofence	Pin & Geofence
STANDARD EQUIPMENT FOR INSTALLATION				
Perimeter Wire Length [ft]	0	0	0	0
Fixing nails	20	20	100	100
Charging Station	Yes	Yes	Yes	Yes
Recharging base cover	Optional	Optional	-	_
FEATURES				
Weight with Batteries Incl. [lbs]	33.7	35.7	99	108
Robot Size (Ixwxh) [in]	22.8 x 19.7 x 11.4 in	22.8 x 19.7 x 11.4 in	47.2 x 38.5 x 14.6 in	47.2 x 38.5 x 14.6 in
Wheel Profile	Flex Rubber	Flex Rubber	Flex Rubber	Flex Rubber
Sound power [dB(A)]	63	63	69	69
Level of protection	IPx4	IPx4	IP44	IP44











NO installation - NO perimeter wire!

Keeping small lawns in pristine condition has never been easier with the Ambrogio Robot L60, designed for residential yards up to 1/10 acre. Both models - Elite and Elite S+ - are ideal for those who want a perfectly mowed lawn, without the need to install perimeter wire. The robot's ease of use allows it to be put into service immediately and transported across multiple separate areas. The Ambrogio Remote APP allows managing and updating the robot.



FLITE S+ **0.10** acres

5 Ah lithium-ion

7.5 Ah lithium-ion



Lightweight and portable



Recognizes the mowed areas reducing working time and wear on the robot and turf.





To transfer software updates from Smartphone/Tablet to the robot and to use the Ambrogio Remote APP for iOS and



Four wheel drive



The ZGS (Zucchetti Grass Sensor) sensor detects the presence of grass and allows the robot to recognize any holes or



Charging Point



Keypad commands



Blade and ZGS Sensor



Bumper and obstacle sensor







GREENline

0.20 acres

mpact and efficient for complex gardens





The L15 Deluxe's futuristic design is small, lightweight, easily transportable, and extremely guiet. It was created for small lawns and offers a flawless cut with easy installation. The efficient work cycles allow full coverage of the area rapidly and accurately. In addition, stateof-the-art processors, brushless motors, lithium-ion batteries, and a 7 inch blade allow the Ambrogio L15 Deluxe robot to manage up to 4 separate areas. Equipped with Bluetooth connectivity, the robot can be programmed and managed via the Ambrogio Remote APP. Ambrogio L15

Deluxe is perfect for those who want a simple robot, without sacrificing high technology, all packaged in only 16.5 inches and less than 16 lbs!





The L32 Deluxe was created to cut small yet complex lawns and maneuver through narrow spaces. The brushless motors and innovative cutting system allow the robot to cover uneven ground. The Ambrogio Remote APP allows managing and updating the robot.



High efficiency brushless motors



Eco Mode Sensor

Recognizes the mowed areas reducing working time and wear on the robot and turf.



Manage up to 4 separate areas



Keypad & LED





To transfer software updates from Smartphone/Tablet to the robot and to use the Ambrogio Remote APP for iOS and



Keypad commands

7 inch blade



Flex rubber rear wheels





High efficiency brushless motors





Keypad & LED



Eco Mode Sensor

Recognizes the mowed areas reducing working time and wear on the robot and turf.



Manage up to 4 separate areas



To transfer software updates from Smartphone/Tablet to the robot and to use the Ambrogio Remote APP for iOS and



Keypad & LED



4 point star blade





Shelter garage (carbon look)










GREENline

	企业			Sales Section of the second
MODEL DESCRIPTIONS	L60 Elite	L60 Elite S+	L15 Deluxe	L32 Deluxe
POWER				
Maximum cutting surface [acres] (-20%)*	2,150 ft2	4,300 ft2	0.15	0.20
Motor Type	Brus	hless	Brushless	Brushless
Lithium-Ion Battery (25.9V)	1x5.0 Ah	1x7.5 Ah	1x2.5 Ah	1x2.5 Ah
Max. permissible Slope (degrees)	-	26	24	24
Max. Slope (degrees)	-	22	20	20
Slope on outer edge/perimeter wire (degrees)		_	11	11
Average Working Time [h] (+-20%)	02:00	03:00	02:00	01:00
Recharge Mode	Ma	nual	Contact	Contact
CUTTING SYSTEM	-			
Blade Type	4 Point S	Star Blade	4 Point Star Blade	4 Point Star Blade
Cutting Width [in]	9	1.8	7	9.8
Cutting Height (min-max) [in]	1.7	- 1.9	1.0 - 2.8	1.0 - 2.4
Spiral Cutting Method		_	Yes	Yes
ZGS Sensors (Grass /Drop Off)	Υ	'es	-	-
Eco Mode	Υ	Yes Yes		Yes
Rain Sensor	1	No	Yes	Yes
Separate Mowing Areas Including Main		1	4	4
NAVIGATION				
ZCS Connect Module (GPS, GSM)	Opt	ional	Optional	Optional
CONTROL DEVICES				
User Interface	Кеура	d & LED	Keypad & LED	Keypad & LED
APP Control	Blue	etooth	Bluetooth	Bluetooth
Bluetooth Receiver	Y	es	Yes	Yes
Smart Assistant	Included in	ZCS Connect	Included in ZCS Connect	Included in ZCS Connect
AMICO	Opt	ional	Optional	Optional
SAFETY				
Safety PIN	PIN Cod	e via APP	PIN Code via APP	PIN Code via APP
STANDARD EQUIPMENT FOR INSTALLATION				
Perimeter Wire Length [ft]	Not ne	cessary	328	328
Fixing nails	Not ne	cessary	100	100
Charging Station		_	Yes	Yes
Recharging Base Cover		_	Optional	Optional
FEATURES				
Weight with Batteries Incl. [lbs]	18.3	19	15.7	23.6
Robot Size (lxwxh) [in]	17.3 x 14	.2 x 7.9 in	16.5 x 11.4 x 8.7 in	21.3 x 17.7 x 9.9 in
Sound Power [dB(A)]	(65	59	59
Level of protection	l.	⁹ x4	IPx5	IPx4





TECHNOLOGY

Ambrogio robot is a technologically advanced product: APP and ZCS Connect module to monitor and manage the robot remotely, innovative ZCS Inside+ on models also intended for the professional market and advanced cutting systems, with the +InfinitySystem.




SMART & GREEN

Ambrogio robot is an eco-friendly product, respecting the environment and pets.



ACCESSORIES

A complete range of accessories to keep your Ambrogio robot at its best.



11



Ambrogio robot speaks the language of the future







Through the **Ambrogio Remote APP**, it is possible to control the robot and download manuals



commands*



Geographic localization

To locate the

robot on a map

Geofence alarm

Exclusion of specifics lawn areas



To send the robot to the recharging

Modulo Connect **

Anti-theft device

The functions available for the L60 are: Remote monitoring of the robot status | Receive notifications in case of error | Receiving Geofence notifications | Stop the robot

*Ambrogio robot can communicate with various voice assistants across the major platforms (Siri, Google Home, and Alexa). For specific commands, please refer to the relevant guides.

**The module requires coverage and a data transfer connection of your country's network. Contact your dealer to inquire about the necessary frequencies and to verify the operating requirements in your country. Free data traffic for two years. Renewable upon expiry.





Scan the photo with the Ambrogio Remote APP to see the video





ZCS CONNECT*

Connect and interact with the robot anytime and anywhere (with your smartphone or tablet). By using the Ambrogio Remote App, it is possible to set up the robot's time profiles, verify location (geo localization), isolate and/or work on specific areas of the lawn (Go Away), monitor the status of the robot and receive alerts when it comes out of the lawn (Geo fence alarm, an evolved anti-theft system). Thanks to the Go Home and Work Now functions, it is possible to force the robot to return to the charging station or to work on the lawn.

*The module requires coverage and a data transfer connection of your country's network. Contact your dealer to inquire about the necessary frequencies and to verify the operating requirements in your country. Free data traffic for two years. Renewable upon expiry.



SMART ASSISTANT

The models equipped with ZCS Connect can interact with the user thanks to the new SMART ASSISTANT function (compatible with Siri, Google Home, and Alexa). The SMART ASSISTANT function allows you to send voice commands; ask for information on the functioning of the robot, as well as the working statistics.



The communication technology that allows updating the software and driving the robot at close range.



NOVATIVE MOTHERBOARD

Latest generation motherboard with faster processors, able to process more data more efficiently while using less power.



The interactive and intuitive touch display makes interacting with the operating system easy, even without physical keys.



To Manage large areas in an intelligent and integrated way

The innovative navigation system that allows several robots to manage an area simultaneously, in a smart and integrated way.

+INFINITYSYSTEM*, through the Cloud technologies and ZCS Connect, creates a constantly shared virtual map of the area to be mowed. The shared map optimizes efficiency by allowing robots to precisely know the already cut micro areas without neglecting any section of the lawn.

The robots equipped with +INFINITYSYSTEM can readjust themselves to work in areas that have increased their surface over time. External areas which become "yards" can be managed in a perfect combination with all the other green spaces.

The + INFINITYSYSTEM system is recommended for the maintenance of medium/large spaces up to very large areas such as sport fields, airfields, and golf courses.

*Available on select models of the Ambrogio 2022 range, prior to a technical evaluation of the area.





Scan the photo with the Ambrogio Remote APP to see the video





Ambrogio is a friend to all animals and respects their need for space.

AMICO is the ZCS technology that ensures the safe operation of Ambrogio robot near animals wearing an AMICO tag. If the animal gets too close, the blade shuts down completely. AMICO is a micro device that attaches to an average/large-sized pet's collar. The AMICO tag communicates with Ambrogio robot as it approaches any animal with the tag.

AMICO is harmless and safe.

AMICO is available for all models in the Ambrogio range. For more information, please visit ambrogiorobot.com or contact your dealer







The Smart & Green mosquito repellent system

Natural, automated, and easy to install, ZDefence* uses a 100% natural bio-repellent, which creates a barrier against mosquitoes. Your garden will always be beautiful and free from any nuisance!

*Compatible with Ambrogio 4.0 and 4.36 models.







Recharging base cover

1		1	
	3		
	11	-	











Products	Item number	Ambrogio model
Shelter Garage (gloss black)	015Z11800A	TWENTY Z ? TWENTY L#5 (00008)
Shelter Garage (gloss black)	L29Z03700A	TWENTY 25 TWENTY 29
Shelter Garage (black carbon look)	051Z19000A	leistis.
Shelter Garage (gloss black)	051A00050A	Listi.
Shelter Garage (gloss black)	110Z66200A	Li 25ili
Shelter Garage (gloss black)	075Z45800A	4.0 4.36 elite QUAD elite

Spikes









Products	Item number	Ambrogio model
Spike	051Z50900A	List
Spike	110Z54001A	Lizzalli
Spike	042Z21900A	4.0 4.36 elite

Installation Kit



Products		Ambrogio model		
Installation Kit S	150m (492 ft) wire	300 pegs	3 connectors	200A00060A
Installation Kit M	150m (492 ft) wire	300 pegs	3 connectors	200A00065A
Installation Kit L	300m wire	500 pegs	6 connectors	200A00070A

Smart & Green





Products	Item number	Ambrogio model
Pet safety device (AMICO)	030Z22500A	TWENTY Z2 TWENTY TWENTY 25 TWENTY 29 4.0 4.36 clite 6.66 6.66 6.66 6.66 6.66 6.66 6.66 6.
Device against mosquitoes (ZDEFENCE)		4.0 4.36 elite





The robot specialists

Since 2000 Zucchetti Centro Sistemi has designed, created, and innovated its Ambrogio robotic lawnmowers.



Come and discover Ambrogio robot lawnmowers at your nearest **authorized dealer**

- » Professional guidance and support during the robot selection phase
- » Specialized technical assistance in case of malfunctioning
- » Original spare parts guaranteed







ambrogiorobot.com



Zucchetti Centro Sistemi SpA

Via Lungarno, 305/A 52028 - Terranuova B.ni (AR) - Italy www.zcscompany.com






Max Distributing

14151 Fir Street
Oregon City, OR 97045
www.max-distributing.com | 1-800-777-5526





Dealer